

495576 TO 495591-continued

495583. 870 (5). Turkey. Mersin. Annual. Wild. Seed.
495584. 870 (6). Turkey. Mersin. Annual. Wild. Seed.
495585. 872. Turkey. Mersin. Annual. Wild. Seed.
495586. 1370. Lebanon. Maksch-Idita. Annual. Wild. Seed.
495587. 1371. Lebanon. Maksch-Idita. Annual. Wild. Seed.
495588. 1383. Lebanon. Before USA University Farm. Annual. Wild. Seed.
495589. 1426. Lebanon. Before USA University Farm. Annual. Wild. Seed.
495590. 1777. Turkey. Collected 1962. Mersin. Annual. Wild. Seed.
495591. 1777(a). Turkey. Collected 1962. Mersin. Annual. Wild. Seed.

495592 TO 495593. *Medicago shepardii* Post ex Boiss. (Fabaceae).

From Canada. Donated by Seymour, P.N.D.; Devonian Botanic Gardens, University of Alberta; Edmonton, Alberta.
Received through G.R. Baughan, Field Crops Laboratory, USDA-ARS, Beltsville, Md. Code numbers refer to designations by K.A. Lesins, Dept. of Plant Science, University of Alberta.
Received January 1985.

495592. 684. Turkey. North, 33km of Gaziantep. Annual. Wild. Seed.
495593. 1754. Turkey. Siverek, basalt soil, Urfa Province. Annual. Wild. Seed.

495594 TO 495595. *Triticum aestivum* L. (Poaceae) Common wheat.

From United States. Donated by Texas Agricultural Experiment Station, Texas A&M University; Bushland, Texas.
Received March 1985.

495594. TX80GH2875. TAM 107. United States. TAM 105 *3/Amigo. Day-neutral hard red type. Maturity early. Plants semi-dwarf, awned, brown-chaffed. Yield excellent. Resistant to powdery mildew; biotype A,B,C greenbug. Partially resistant to stem rust. Susceptible to type E greenbug, leaf & stripe rust, *Septoria tritici*, *Septoria nodorum*, barley yellow dwarf virus, soil borne Mosaic virus.